




## Outdoordomhousing IP 67

New designed full aluminium domhousing . A special benefit is our snap in mounting system which allows a fast and easy mounting. You just have to snap in the dom into the bracket, , twist and fix with 2 screws. Our housing is fully mounted , wired and ready to use. By installing network cameras a RJ45 cable comes out of the dom . Availabel for some camera modells as a high PoE version. You can order the housing with 12VDC, 24V or 90-264 VAC input. So for example if your camera needs 24V and you want to supply over a solar panel with 12VDC we can add a build in converter for you.

Also available are vandal proof glas in clear or smoked version





## **CUSTOM COLOR**

The domhousing can be delivered in the RAL color you like (option with additional cost). All parts are powder coated for a long lifetime



## **INDOOR VERSION**



As a indoor version you can order the dom without heater and sunshield. The IP rank is still IP67

**Ordernumbers:**

Outdoorhousing IP 67 incl sunshield heater, fan ,build in power supply

Camera mounting all wired assembled and ready to use ordernumber: 9100

Outdoorhousing 9100 for AXIS 5534 ordernumber: 9111

Wallmount ordernumber: 9105

Polemount adaptor ordernumber: 9117

Ceiling mount ordernumber: 9101

Pipe extention for ceiling mount 0,5m ordernumber: 9101/05

Pipe extention for ceiling mount 1m ordernumber 9101/10

Corner mount ordernumber: 9105

Indoorhousing without heater and sunshield ordernumber: 9200

Vandal proof glas clear ordernumber: 9112

Vandal proof glas smoked ordernumber: 9113