

- PAGE 1: housings for AXIS M1011/M1011W
- PAGE 2: heated housings, PoE solutions for AXIS M1011/M1011W
- PAGE 3: Infraredsolutions for AXIS M1011/M1011W; Accupacks
- PAGE 4: Accupack 12VDC, wallmounts, magnetic mountings, standard housing for fixed camera models
- PAGE 5: IP68 housing, stainless steel housing, indoor housing for fixed camera models
- Page 6: Accessories for AXIS 209, switch modules

Accessoires for AXIS M1011/M1011W series

for this cameramodels we have many add on parts and special solutions . In this capture you can find simple protection housings Infraredsystems ,PoE solutions and many more.

Protection housing for AXIS M1011/M1011W/M1031W

protection housing for Axis M1011/M1011W/M1031W ranked IP 65, build in camera mounting on camera back you will find two PG cabel outlets on the bottom side you have a 1/4" tripod to fix the housing to wall or ceiling mounts the special plastic material is UV resistant

dimensions ;160x90x50mm

Please note, this housingtypes are without heater. This modells protects the cameras against moisture and dirt you can find for example in industrial areas. For working below -5 degree you need modells with integrated heater you and find on the next page.

The movementdetector from the M1031 does not work if you build in the camera into the housing



[Mountings for the AXIS 206/207 series also available](#)

ordernumber: 6206

Version COVER for AXIS M1011/M1011W

same housing like 6206 in addition here you have a wallmount with covered cabel management

Please note, that the AXIS M1011/M1011W/M1031W haven't an iris controlled optic. If you are using it outdoor it could be that in bright sunny conditions you may have over blooming areas in the picture.




[Mountings for the AXIS 206/207 series also available](#)

ordernumber 6207

conector box for 6206

rugged connector box (aluminium) with build in wallmount with covered cabel management. Into the box you have space for additional electronic like power supply or wireless transmitter



Protection housing for AXIS M1011/M1011W/M1031W



fully wired and ready to use. **Please note. that the PoE injector is not included!**

ordernumber: 6205 PoE

outdoorhousing for Axis M1011/M1011W/M1031W

heater, fan and the power converter is build into the housing.
On the backside you will find 2 PG cabel outlets.
The bottom side got a 1/4" tripod for wallmount connection.
[Mountings for the AXIS 206/207 series also available](#)
This housing set can work up to - 10 degrees. Also modells with double heater for -25 available

Build in power supply. Housing works from 90 - 230VAC

Inside the housing is a DC/DC converter from 12VDC to 5VDC integrated.
[This housing is also available as version COVER with wallmount and cable chanel](#)

Technical data:
Dimension: 200x120x90mm
IP grade: IP 65



ordernumber 6209

housing 6209 with build in PoE Splitter **The PoE injector is not included!** ordernumber 6209PoE
housing 6209 with mounting for AXIS PoE **The PoE injector is not included!** **AXIS PoE splitter is not included** 6209P-AXIS

Camera wallmount for AXIS M1011/M1011W/M1031W with integrated PoE splitter

Integrate the AXIS M1011/M1011W/M1031W into a PoE network is now very easy and inexpensive.
The mounting kit for these modells includes a adjust- and fixable wallmount, integrated PoE splitter with connecting cables



The PoE injector is not included!

ordernumber : 6210

NIGHT VISION housing set for AXIS 206/207 and 207W also AXIS 1011/1011W

This special compact unit enables you a sharp and noiseless picture under 0-Lux conditions.
Into the housing a Infrared illuminator is integrated which can be switched ON/OFF over the I/O port from the camera.
To use this housing you need our special optic for the camera. Behind an for human eye invisible filter you will get B/W pictures.

The set includes the housing, Infrared filter, Infraredlight, control board, tripod, **special optic** and a R.145 outlet. The light source also can be regulated. As an option you can order it with a build in PoE splitter.



ordernumber: 6204
ordernumber: 6204 PoE

Nigh vision Set with build in PoE Splitter **The PoE injector is not included!**

NEW, Nightvision in industrial design for animal observation. Amoniak resistant housing.
it includes infrared illuminator and Infrared optic.

version with build in PoE
version with build in Accu pack for 8 h (longer runtime on request)

ordernumber 6204-A
ordernumber 6204-APoE
ordernumber 6204-ACCU

NIGHT VISION housing set for AXIS 206/207/207W , WATERPROOF also AXIS 1011/1011W



The PoE injector is not included!


ordernumber 6204-WP/PoE

"Add On" accupack for all 5 VDC cameras

The basic version allows a runningtime from appx.8 h. Accus for longer runtime can be build in. All modell be equipped with Li-Ion so they have no memorv effect.

Also special is the unique wallmount. The baseplate will be fixed with 2 screws. On this plate you can easv snaob on the pack.

High quality Lilon with shortcut and overload control for longer livetime and security.



ordernumber: 6201

ACCUPACK AXIS M1011/M1011W/M1031W

Basically the same modell than 6201. In additon you have here a mounting for the AXIS 2xx and M1011 series

[Fits also for AXIS 206/207/207W and 207MW](#)



ordernumber 6200/05

ACCUPACK 12VDC Version with fixable balljoint adjustment and 1/4" mounting screw

On this Accupack you can mount all standard cameramodels. Also special is the unique wallmount. The baseplate will be fixed with 2 screws, On this plate you can easy snapp on/off the pack

The basic version comes with a 8 h runtime accu. Different modells for longer runtime available



ordernumber 6200/12
ordernumber 6209/05

Standard charger

standard wall/ceiling mount, Aluminium , powder codet.



small modell with max. load 2Kg
modell with max. load 5Kg

ordernumber 7210
ordernumber 7211

Magnetic Wallmount

for easy installation on metall. You can switch ON and OFF the magnetic power. No battery or power supply needet.

On steel it can hold up to 60Kg. Modells with up to 100 Kg are also available



ordernumber 10900

Vandal proof domhousing

In the past we also not many request about a vandal proof type. Now here it is. The camerahousing is aluminium the glas vandal proof. It is possibel to mount in the camera with all types of different lenses. A real benefit is, that list is also possibel to build in heater and fan . The housing is IP 66. You can mount it direct to the wall /ceiling or to our adjustable mounting.



Modell 6100

The camera can be adjusted in different angles.



Can be used with our adjustable wallmount Nr.: 10100

housing modell 6100
housing 6100 heated
housing 6100 with build in PoE switch

ordernumber 6100
ordernumber 6100W
ordernumber 6100 PoE

New!! Polemount with wallmount for all modells with standard 1/4" tripod


the basic version will have a max. load from 2 KG. Modells with 5 or 10 Kg are also available. The shown version can be mounted on poles from 80-160mm. Available are also polemounts for 40-80mm you can see on the picture below.



ordernumber: 10901

outdoorhousing Axis 211-223

Standard aluminium outdoorhousing IP 66. This modell can be side openp for quick and easy installation. Dimension: 113x106x370mm



polemount 8203

wallmount 8201

good quality for a unbeatable price.

outdoorhousing, aluminium, with heater and sunshield.
wallmount with covered cabel management
polemount
powersupply and fan set

ordernumber 8200
ordernumber 8201
ordernumber 8203
ordernumber 8202

Outdoorhousing IP68 for AXIS 210-223

rugged, die cast aluminium housing IP 68 for hard weather conditions. side open construction for easy installation, 3 PG outlet

PROMOTION , new price !!



housing with heater:
wallmount with covered cable management
camerapowersupply plus fan set

ordernumber: 8300
ordernumber: 8301
ordernumber: 8302

Outdoorhousing IP 67 for Axis 210-223

Aluminium camerahousing IP67 , powder coated new design, side open for easy installation
High quality product with a high grade finish.



Housing IP 67 with heater, sunshield and wallmount
camerapowersupply plus fan


ordernumber: 8400
ordernumber: 8403

Outdoorhousing IP 68 STAINLESS STEEL

For hard outdoorconditions, saltwater or use on ship we now offer a new generation of smart and good designd housings in high quality. Inside you can mount in most standard fixed camera modells

After all this modell is just 300mm long and comes with heater, fan and a sunshield

Available also with double heater for temp. Down to -20 degrees.



wallmount with adjustable mounting plate
housing with heater and sunshield
wallmount with mounting plate



ordernumber 8700
ordernumber 8705

Outdoorhousing for Axis 210-223 low temperatur version

This housing is special designed for temperatur down to - 50 degree. Build in are 3 heaters, fan and the housing is isolated.



ordernumber: 8500

Indoorhousing for Axis 210-223

Housing for Indoor use. Protects the camera against dirt and moisture. Aluminiumhousing, Front and backside ABS. 2 PG cable outlet on the backside



ordernumber: 8600

Accessories AXIS 209

Wallmount

Aluminium wallmount, powder coadent with massive fixable balljoint. Special mounting plate for the Axis 209



ordernumber: 1800

Magnetic camera holder

flexible magnetic pad for AXIS 209 for temporary installation on iron parts. Special for installations on cars



ordernumber 1801

Mounting Base

in some cases it is not possibel to make big holes to fit in the 209 connector. Therefore we have this mounting base which enables you to fit in the connector cable. Easy to mount



ordernumber: 1802