

Page1: outdoorbox  
 Page2: magnetic wallmount; outdoor infraredspot  
 Page 3: Infraredlight

**Outdoorbox for Videoserver and additional electronic**

This special designed outdoorbox can be delivered in various sizes. Standard is 200x300x80mm. Build is a heater, fan, powersupply and a mounting plate.  
 The box material is a special ABS which enables also to mount in wireless transmitter  
 We can manufacture the mounting plate inside for your equipment.



outdoorbox for wallmount. incl. Heater. fan and power supply.IP66	ordernumber:	2000
polemount. small for pol 30-80mm	ordernumber:	2001
polemount .80-160mm	ordernumber:	2002



housing for Dect base stations

version Axis video codec with double heater

**Magnetic Wallmount**

for easv installation on metall. You can switch ON and OFF the mannetic power. No battery or power supply needet.  
On steel it can hold up to 60Kg. Modells with up to 100 Kg are also available



ordernumber 10900

**Outdoor Infraredspot IP67. NEW!!**

Aluminium Infraredspot with a powerfull LED light up to 15m  
Die Cast aluminium with IP 67 .  
automatic day/night switch

Dimensions: 11x9x10cm, weight 1 Kg  
12VDC, 880nm



**Infraredspot IP 67**

ordernumber 10800

**Infraredilluminators:**

**Modell BASIC**

Small and lightweight Infrared illuminator for Indoor use. Available in Black or white.  
Standardversion with 875nm LED and a range of 6-8m.  
Also available are a build in switch modul for the I/O port from Axis camera.  
Therefore we deliver 5VDC or 12VDC versions.  
Price incl. Wallmount and power supply



illuminator white or black with wallmount  
build in I/O switch module

ordernumber: 2900  
ordernumber: 2901

**MODELL MIRA II**

Full aluminium illuminator for indoor use. Standard version in 875nm and a length of 150mm or 200mm.

This series allows you to build your own illuminator, you can choose between different sizes, LED types or if you need 12, 24 or 230 V input power

See more informations on our homepage. Here are just some most wanted modells



150mm tvoe. range 10m. 875nm. 12VDC input

ordernumber: 2902

200mm Tvpe. range 15m . 875nm.12VDC input

ordernumber: 2903

**SWITCH BOX**

Relaisbox for AXIS cameras with I/O port. With this unit you can switch ON/OFF high power devices over the build in I/O port. Many different housings are available from simple plastic to rugged outdoorversions. The pcb without housing is also available.

Aluminium indoor housing  
available in different colours



outdoor version in aluminium  
housing IP 67

switch module starting at 22 Euros  
incl. housing

Prices are for small qty. For projects or bigger qty we can give you a special discount.

Nov 07

**Franz Video Equipment**  
Schulhof 4  
97286 Winterhausen  
GERMANY  
Phone: +9333903004  
Info@franz-video.de  
WWW.Franz-Video.de