

Domhousing for AXIS M1011/M1031

Aluminium domhousing with vandal proof cover. Available as an indoor or outdoor version. The camera can be adjusted inside the housing from vertical 97 to 140 degree, horizontal 360 degree. You can mount this housing directly to a wall or ceiling (mounting is included in the kit). In addition we offer an adjustable wallmount for indoor or a fixed wallmount for in- and outdoor. In this wallmount you also can integrate a power supply.





Domhousing 6100 with clear glas



Domhousing 6100 with adjustable wallmount 6101

Indoor use only!!

Wall mount



Dimension from housing 6100 with wallmount 6102



Domhousing 6100 with dark glas and wallmount 6102



Wallmount 6102 with build in high PoE splitter



97 degree



140 degree

Ordernumbers

Domhousing for AXIS M1011, indoor , not heated , clear glas	6100
Domhousing for AXIS M1011, indoor with build in PoE splitter	6100 PoE
Wallmount ,adjustable INDOOR	6101
Domhousing with build in heater and fan (requires wallmount 6102)	6104
Wallmount for indoor and outdoor use	6102
Wallmount for indoor and outdoor use with build in power supply (90-230VAC)	6102AC
Wallmount for indoor and outdoor use with build in high PoE splitter	6102PoE

Franz Video Equipment Rev.01/2010